ELSEVIER

Journal of Materials Processing Technology 113 (2001) 792–793

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 113

Abd-Allah, N.M., 502
Al-Zkeri, I., 93

Bae, W.B., 103
Baker, T.N., 509
Ball, J.A.R., 184
Bang, K.G., 209
Batalha, G.F., 732
Bhattacharyya, B., 301, 306
Biba, N., 34
Blicblau, A.S., 184
Buijk, A., 93
Byeon, J.G., 234

Celano, G., 680
Chan, C.Y., 432
Chandel, R.S., 215
Chang, S.H., 178
Chang, Y., 238
Chang, Y.-C., 761
Chang, Y.S., 136
Cheang, P., 456, 516
Chen, F.-K., 539
Chen, X., 474
Cheung, C.F., 416
Chien, K.-H., 720
Chin, B.A., 75, 228
Cho, I.-H., 355
Cho, J.R., 257
Choi, D.S., 273, 285
Choi, H.-J., 141
Choi, J.-H., 141
Choi, J.H., 172
Choi, J.K., 178
Chua, B.W., 450
Chung, J.H., 604
Cui, X., 482

Davies, H.A., 477
Dean, T.A., 544
Dobrzański, L.A., 493, 527
Dohda, K., 705
Doloi, B., 301
Dornfeld, D.A., 4

Eghbali, B., 594
Eleiche, A.M., 502
Ellis, B., 477

Fong, H.S., 474
Fang, X., 474
Fichera, S., 680
Fratini, L., 680
Fuh, J.Y.H., 262, 269, 563

Geddam, A., 399
Ghoo, B.Y., 692
Gunasekera, J.S., 93
Guo, Y.-M., 46

Ha, J.S., 257
Ha, M.Y., 257
Haga, T., 291
Hajduczek, E., 527
Hamouda, A.M.S., 245
Han, W.J., 234
Hassan, A.I., 337
Heo, Y.M., 686
Hing, P., 463, 474
Hino, R., 648
Hocheng, H., 238
Hong, S., 774
Hong, S.H., 202, 599
Hong, S.I., 604, 610, 622
Hsu, R.-Q., 115
Hua, M., 52
Huang, H., 463
Huang, Y.-M., 720
Huh, H., 714, 754, 766, 779
Hung, C., 115
Hussain, P., 222
Hwang, B.-B., 87, 141
Hwang, B.B., 109, 136
Hwang, B.C., 103
Hwang, S.K., 136
Hwang, S.-M., 749

Im, Y.-T., 153
Im, Y.T., 786
Inaba, S., 2
Inoue, A., 64
Ishikawa, T., 632
Isnin, A., 222
Isono, Y., 385

Jahazi, M., 594
Jang, D.-H., 87
Jee, H.S., 273
Jeon, B.-H., 666
Jeong, D.J., 544
Jeong, H.-D., 355
Jeong, S.-C., 355
Jeong, Y., 705
Jeong, Y.H., 410
Ji, D.C., 786
Jin, M., 81, 342
Jinn, J.T., 40
Jung, H.K., 568
Jung, Y.H., 406

Kaga, H., 641
Kang, B.S., 673
Kang, B.-S., 749, 761
Kang, C.G., 251, 568
Kang, D.-Y., 486
Kang, M.C., 331, 410
Kang, S.J., 673
Kang, S.S., 662
Kawai, K., 28
Keum, Y.T., 692
Khaing, M.W., 269
Khim, L.S., 189
Khor, K.A., 456
Kilner, J., 463
Kim, B.M., 131, 544
Kim, C.K., 599
Kim, D.J., 109, 131, 148, 544
Kim, D.K., 148
Kim, D.Y., 148
Kim, G.Y., 714
Kim, H.S., 610, 617, 622
Kim, H.Y., 686
Kim, I.-S., 160
Kim, J., 4, 761
Kim, J.H., 331, 544
Kim, J.S., 331, 406, 410
Kim, K.-J., 486
Kim, N., 774
Kim, N.-S., 153
Kim, S.-H., 766, 766
Kim, S.H., 779, 779
Kim, S.W., 406
Kim, Y.C., 131
Kim, Y.H., 124
Kim, Y.-H., 486
Kim, Y.I., 70
Kim, Y.S., 692
Klepaczko, J.R., 574
Ko, B.D., 109
Ko, S.-L., 392
Koh, T.H., 424
Kong, L.X., 574
Kopač, J., 312
Kosmol, J., 322, 337
Kottilingam, S., 228
Ku, H.S., 184
Ku, T.-W., 749
Kudo, H., 28
Kumar, R., 456
Kuzman, K., 10
Kwaśny, W., 493
Kwon, H.C., 786
Kwon, J.W., 209
Kwong, C.K., 432

Elsevier Science B.V.
PII: S0924-0136(01)00775-0

ELSEVIER

Journal of Materials Processing Technology 113 (2001) 792–793

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 113

Abd-Allah, N.M., 502
Al-Zkeri, I., 93

Bae, W.B., 103
Baker, T.N., 509
Ball, J.A.R., 184
Bang, K.G., 209
Batalha, G.F., 732
Bhattacharyya, B., 301, 306
Biba, N., 34
Blicblau, A.S., 184
Buijk, A., 93
Byeon, J.G., 234

Celano, G., 680
Chan, C.Y., 432
Chandel, R.S., 215
Chang, S.H., 178
Chang, Y., 238
Chang, Y.-C., 761
Chang, Y.S., 136
Cheang, P., 456, 516
Chen, F.-K., 539
Chen, X., 474
Cheung, C.F., 416
Chien, K.-H., 720
Chin, B.A., 75, 228
Cho, I.-H., 355
Cho, J.R., 257
Choi, D.S., 273, 285
Choi, H.-J., 141
Choi, J.-H., 141
Choi, J.H., 172
Choi, J.K., 178
Chua, B.W., 450
Chung, J.H., 604
Cui, X., 482

Davies, H.A., 477
Dean, T.A., 544
Dobrzański, L.A., 493, 527
Dohda, K., 705
Doloi, B., 301
Dornfeld, D.A., 4

Eghbali, B., 594
Eleiche, A.M., 502
Ellis, B., 477

Fong, H.S., 474
Fang, X., 474
Fichera, S., 680
Fratini, L., 680
Fuh, J.Y.H., 262, 269, 563

Geddam, A., 399
Ghoo, B.Y., 692
Gunasekera, J.S., 93
Guo, Y.-M., 46

Ha, J.S., 257
Ha, M.Y., 257
Haga, T., 291
Hajduczek, E., 527
Hamouda, A.M.S., 245
Han, W.J., 234
Hassan, A.I., 337
Heo, Y.M., 686
Hing, P., 463, 474
Hino, R., 648
Hocheng, H., 238
Hong, S., 774
Hong, S.H., 202, 599
Hong, S.I., 604, 610, 622
Hsu, R.-Q., 115
Hua, M., 52
Huang, H., 463
Huang, Y.-M., 720
Huh, H., 714, 754, 766, 779
Hung, C., 115
Hussain, P., 222
Hwang, B.-B., 87, 141
Hwang, B.B., 109, 136
Hwang, B.C., 103
Hwang, S.K., 136
Hwang, S.-M., 749

Im, Y.-T., 153
Im, Y.T., 786
Inaba, S., 2
Inoue, A., 64
Ishikawa, T., 632
Isnin, A., 222
Isono, Y., 385

Jahazi, M., 594
Jang, D.-H., 87
Jee, H.S., 273
Jeon, B.-H., 666
Jeong, D.J., 544
Jeong, H.-D., 355
Jeong, S.-C., 355
Jeong, Y., 705
Jeong, Y.H., 410
Ji, D.C., 786
Jin, M., 81, 342
Jinn, J.T., 40
Jung, H.K., 568
Jung, Y.H., 406

Kaga, H., 641
Kang, B.S., 673
Kang, B.-S., 749, 761
Kang, C.G., 251, 568
Kang, D.-Y., 486
Kang, M.C., 331, 410
Kang, S.J., 673
Kang, S.S., 662
Kawai, K., 28
Keum, Y.T., 692
Khaing, M.W., 269
Khim, L.S., 189
Khor, K.A., 456
Kilner, J., 463
Kim, B.M., 131, 544
Kim, C.K., 599
Kim, D.J., 109, 131, 148, 544
Kim, D.K., 148
Kim, D.Y., 148
Kim, G.Y., 714
Kim, H.S., 610, 617, 622
Kim, H.Y., 686
Kim, I.-S., 160
Kim, J., 4, 761
Kim, J.H., 331, 544
Kim, J.S., 331, 406, 410
Kim, K.-J., 486
Kim, N., 774
Kim, N.-S., 153
Kim, S.-H., 766, 766
Kim, S.H., 779, 779
Kim, S.W., 406
Kim, Y.C., 131
Kim, Y.H., 124
Kim, Y.-H., 486
Kim, Y.I., 70
Kim, Y.S., 692
Klepaczko, J.R., 574
Ko, B.D., 109
Ko, S.-L., 392
Koh, T.H., 424
Kong, L.X., 574
Kopač, J., 312
Kosmol, J., 322, 337
Kottilingam, S., 228
Ku, H.S., 184
Ku, T.-W., 749
Kudo, H., 28
Kumar, R., 456
Kuzman, K., 10
Kwaśny, W., 493
Kwon, H.C., 786
Kwon, J.W., 209
Kwong, C.K., 432

Elsevier Science B.V.
PII: S0924-0136(01)00775-0

Lai, M.O., 450
Lau, S.H., 317
Law, K.M.Y., 399
Lee, B.Y., 257
Lee, C.H., 59
Lee, C.M., 406
Lee, C.S., 172
Lee, D.G., 172, 178, 196, 209
Lee, D.N., 551
Lee, D.W., 406, 410
Lee, H.I., 103
Lee, H.S., 202
Lee, H.W., 714
Lee, J.-K., 392
Lee, J.W., 209
Lee, K.S., 739, 754
Lee, K.Y., 410
Lee, S., 774
Lee, S.H., 109, 273, 285
Lee, S.R., 59
Lee, W.B., 296, 416
Lee, Y., 124
Lee, Y.-C., 539
Lee, Y.K., 59
Lee, Y.S., 70, 136
Lee, Y.-s., 486
Lei, L.P., 673
Li, A., 482
Li, G., 40
Li, H., 215
Li, H.Z., 378
Li, J.G., 416
Li, L., 450, 563
Li, P., 482, 710
Li, X.P., 348, 378
Lishiny, A., 34
Liu, C., 556
Liu, J., 75
Liu, K., 348, 378
Liu, Y., 556
Lu, G., 574
Lu, L., 269, 563, 739
Lu, S.Q., 52
Lu, X., 189
Lu, Y., 710

Ma, J., 446
Madejski, J., 493, 527
Mahdi, M., 368, 373
Mansur, M.A., 317
Marumo, Y., 22, 627
Matsui, K., 98
Mazurkiewicz, J., 527
Megahed, M.M., 502
Mehta, B.V., 93
Messer, P.F., 477
Micari, F., 680
Min, S., 4
Minami, A., 22
Miwa, S., 64
Miyazawa, T., 262
Mohan, E.V.R., 725
Mookherjee, R., 306
Mridha, S., 516
Murakami, K., 632
Murakawa, M., 81, 342
Murali, S., 469

Na, K.H., 70, 202
Naka, T., 648
Nakanishi, K., 46
Nam, S.H., 714
Nee, A.Y.C., 262, 424
Ning, Y., 360
Northwood, D.O., 556

Oh, J.H., 172
Oh, S.I., 40
Oh, S.-I., 666
Oh, J.T., 474
Ohashi, T., 98
Okamoto, T., 636
Oliveira, M.S.A., 439
Omar, M.A., 477
Ong, H.S., 516
Ong, S.K., 424
Onoue, A., 627

Park, B.S., 178
Park, D.H., 662
Park, H., 551
Park, H.J., 70
Park, J.-J., 581, 654
Park, J.-M., 355
Park, J.-O., 486
Park, K.S., 234
Park, S.B., 662
Park, S.H., 273
Park, S.-K., 761
Park, S.R., 714
Paulsen, F., 699
Poh, L.S., 516
Priestner, R., 587

Rahman, M., 317, 360
Rao, K.P., 725
Rhee, M.H., 786
Ryou, T.-K., 87
Ryu, S.G., 280
Ryu, S.H., 148

Saiki, H., 22, 627
Saleh, M.H., 587
Šali, S., 312
Saotome, Y., 64, 98, 636, 641
Sarma, S.E., 285
Selamat, M.S., 509
Seo, D.G., 686
Seo, M.H., 622
Seo, P.K., 568
Seow, H.P., 215
Shan, D.B., 710
Sheljaskow, S., 16
Shih, C.-K., 115
Shim, M.-S., 654
Shin, B.S., 273, 285
Shishkov, R., 493
Sim, K.S., 70
Siores, E., 184
Siu, F., 184
Sohn, W.H., 599
Sokołowski, A., 322
Son, Y.I., 251
Song, J.S., 604, 610
Song, Y.A., 273

Sonoi, T., 22
Sousa, A.C.M., 439
Sridhar, P.S., 301
Sritharan, T., 469
Stebounov, S., 34
Stipkovic Filho, M., 732
Stoynov, L.A., 160
Suh, J.D., 178, 196
Sui, G., 167
Sulaiman, S., 245
Sun, K., 482
Suzuki, S., 291
Søvik, O.P., 699

Takiguchi, M., 743
Tan, G.E.B., 446
Tanaka, T., 385
Tianshu, Z., 463
To, S., 296
Tong, K.W., 432
Torikai, G., 648

Wang, B., 574
Wang, S.H., 686
Wang, X., 659
Wang, Z., 659, 705
Watson, L.M., 509
Welo, T., 699
Whang, K.H., 273, 285
Wikle III, H.C., 228
Wong, G.H.L., 450
Wong, S.-C., 167
Wong, Y.S., 360, 563
Wu, M., 474
Wu, W.T., 40
Wu, X.W., 215

Xiao, Z., 75
Xu, Y., 710

Yang, D.Y., 59
Yang, J.-B., 666
Yang, K., 710
Yang, L.J., 521
Yang, L.-N., 28
Yang, M.Y., 280
Yarlagadda, P.K.D.V., 160
Yasuda, K., 641
Yeo, J.S., 202
Yin, Y., 482
Yoh, E.G., 70
Yoon, D.J., 202
Yoon, D.-Y., 87
Yoon, J.-H., 153
Yoon, K.K., 285
Yoshida, F., 648, 743
Yoshida, Y., 632
Youn, S.W., 251
Yue, C.-Y., 167
Yukawa, N., 632

Zee, R.H., 75, 228
Zhang, L., 368, 373
Zhang, S.H., 710
Zhang, T., 64
Zhao, Z., 556

ELSEVIER

Journal of Materials Processing Technology 113 (2001) 794–806

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 113

AA6061-T6
The bending of an aluminum structural frame with a rubber pad, 786
Abnormal grain growth
Deformation and annealing textures of drawn Al–Mg–Si alloy tubes, 551
Abrasive waterjet machining
Dynamic elastic–plastic analysis of 3D deformation in abrasive waterjet machining, 337
Acceleration signal
Simulation of surface roughness and profile in high-speed end milling, 410
Accelerometer
A monitoring technique using a multi-sensor in high speed machining, 331
Accuracy
Problems of accuracy control in cold forming, 10
Acoustic emission (AE)
A monitoring technique using a multi-sensor in high speed machining, 331
Additive preforms
Wide gap brazing of stainless steel to nickel-based superalloy, 215
Adhesion
Effect of the deposition parameters on the properties of the two-layer surface coatings obtained using magnetron sputtering, 493
Adhesive curing
An investigation into the performance of solar cured adhesive bonded joints, 160
Adhesive-bonded sheet metals
Plastic bending of adhesive-bonded sheet metals, 743
Adiabatic shear
Investigation of chip formation in high speed end milling, 360
Air compressor
Manufacture of composite screw rotors for air compressors by RTM process, 196
Air/water spray quenching
Neural network analysis of experimental data for air/water spray cooling, 439
AISI 1045
Plasma surface hardening of ASSAB 760 steel specimens with Taguchi optimisation of the processing parameters, 521
Al foil material
Development of high-speed superplastic Al alloy by the MA process using Al foil, 632
Algorithm
Simulation of surface roughness and profile in high-speed end milling, 410
Al–Mg alloy sheet
The effects of temperature and forming speed on the forming limit diagram for type 5083 aluminum–magnesium alloy sheet, 648
Aluminum-alloy piston
An experimental study on the optimization of powder forging process parameters for an aluminum-alloy piston, 486
Amorphous alloy
The micro-formability of Zr-based amorphous alloys in the supercooled liquid state and their application to micro-dies, 64
Analysis
A new method for determining the undeformed chip thickness in milling, 378
Analytic hierarchy process
Assessing the environmental impact of materials processing techniques using an analytical hierarchy process method, 424
Anisotropic composite
A finite element model for the orthogonal cutting of fiber-reinforced composite materials, 373
Anisotropy
A unified test for evaluating material parameters for use in the modelling of sheet metal forming, 725
Annealing
Deformation and annealing textures of drawn Al–Mg–Si alloy tubes, 551
Approximation
A new method for determining the undeformed chip thickness in milling, 378
Artificial intelligence
Selected examples of cutting process monitoring and diagnostics, 322
Artificial neural network
Optimization of the irregular shape rolling process with an artificial neural network, 131
Asperity smoothing
FEM simulation of surface smoothing in the ironing process, 705
ASSAB 760
Tool wear study in a lathe made of cementitious material, 317
Plasma surface hardening of ASSAB 760 steel specimens with Taguchi optimisation of the processing parameters, 521

Backward extrusion
Effect of the surface structure on the resistance to plastic deformation of a hot forging tool, 22
The forming characteristics of radial–backward extrusion, 141
Ball-nose end mill
Investigation of chip formation in high speed end milling, 360
Barrier rib
The application of micro-groove machining for the mold of PDP barrier ribs, 355
BEM
Analyses of plane-strain upsetting by the rigid–plastic domain-boundary element method, 46
Bending
Optimization of the irregular shape rolling process with an artificial neural network, 131
Bending of sections
A design method for rectangular hollow sections in bending, 699
Bending-induced shear deformation
Plastic bending of adhesive-bonded sheet metals, 743

Elsevier Science B.V.
PII: S0924-0136(01)00776-2

Bevel gear forging
Process modification of bevel gear forging using three-dimensional finite element analysis, 59
Bioactive material
RF plasma processing of ultra-fine hydroxyaptite powders, 456
Blank shape
A study on the improvement of formability for elliptical deep drawing processes, 662
Breakage ratio
Finite element modeling of the deformation behavior of semi-solid materials, 153
Brittle
Ductile cutting of tungsten carbide, 348
Bulge process
The lateral extrusion of copper pipes with a lost core of low temperature melting alloy, 98
Bulging
Numerical analysis of secondary cooling and bulging in the continuous casting of slabs, 257
Bulk heating and penetrating radiation
Applications of fixed and variable frequency microwave (VFM) facilities in polymeric materials processing and joining, 184
Bulk metal forming
Recent development and applications of three-dimensional finite element modeling in bulk forming processes, 40
Bumper rail
Prediction of the forming limit in hydroforming processes using the finite element method and a ductile fracture criterion, 673
Bundling
Bundling and drawing processing of Cu–Nb microcomposites with various Nb contents, 604
Burr
Development of a drilling burr control chart for low alloy steel, AISI 4118, 4
Burr formation
Analysis of burr formation in drilling with a new-concept drill, 392
Burr minimization
Analysis of burr formation in drilling with a new-concept drill, 392

Calcium oxide
RF plasma processing of ultra-fine hydroxyaptite powders, 456
Cantilever arm
A composite cantilever arm for guiding a moving wire in an electrical discharge wire cutting machine, 172
Cap formation
Analysis of burr formation in drilling with a new-concept drill, 392
Carbon epoxy composite
Manufacture of composite screw rotors for air compressors by RTM process, 196
Carbon nitride
Effects of surface treatments and lubricants for warm forging die life, 544
Case-based reasoning
Initial process-parameters setting of transfer moulding in microchip encapsulation: a case-based reasoning approach, 432
Cast iron bed
Tool wear study in a lathe made of cementitious material, 317
Casting and network analysis
Modeling of the thermal history of the sand casting process, 245
CBN
Ductile cutting of tungsten carbide, 348
Cellular phone vibrator
Milli-component forming of rectangular cup drawing, 749
Central hub
The forming characteristics of radial–forward extrusion, 136
Ceramics
The effect of Fe doping on the sintering behavior of commercial CeO_2 powder, 463
Thermal diffusivity of pure and impurity-doped titanium dioxides ceramics, 474
Cerium oxide
The effect of Fe doping on the sintering behavior of commercial CeO_2 powder, 463
Characterisation
Applications of fixed and variable frequency microwave (VFM) facilities in polymeric materials processing and joining, 184
Chatter
Investigation of chip formation in high speed end milling, 360
Chemical vapor deposition (CVD)
Processing of single crystals for high temperature applications, 75
Chip formation mechanism
Investigation of chip formation in high speed end milling, 360
Chipping
Development of a practical ultrasonic vibration cutting tool system, 342
Chlorine-free lubricants
The utility of radially and ultrasonically vibrated dies in the wire drawing process, 81
Circular drawbead
The effect of the drawbead dimensions on the weld-line movements in the deep drawing of tailor-welded blanks, 686
Co-cure bonding
Damping characteristics of composite hybrid spindle covers for high speed machine tools, 178
Cohesive strength
Effects of particle shape and size on the homogeneity of dispersed U_3Si particles in high uranium density research reactor fuels, 599
Cold extrusion
Problems of accuracy control in cold forming, 10
Cold forging
Problems of accuracy control in cold forming, 10
Cold-forging die
Fatigue life of cold-forging dies with various values of hardness, 539
Combustion synthesis
Synthesis of ternary intermetallics by exothermic reaction, 469
Composite
An adaptive three-dimensional finite element algorithm for the orthogonal cutting of composite materials, 368
Sintering technology research of Fe_3Al/Al_2O_3 ceramic composites, 482
Composite materials
A composite cantilever arm for guiding a moving wire in an electrical discharge wire cutting machine, 172
Composite spindle cover
Damping characteristics of composite hybrid spindle covers for high speed machine tools, 178
Composite surface damping treatment
Damping characteristics of composite hybrid spindle covers for high speed machine tools, 178
Compressor piston
The fabrication process and mechanical properties of SiC_p/Al–Si metal matrix composites for automobile air-conditioner compressor pistons, 202
Computer aided design
A new rapid prototyping system using universal automated fixturing with feature-based CAD/CAM, 285
Computer aided manufacturing
A new rapid prototyping system using universal automated fixturing with feature-based CAD/CAM, 285

Computer simulation
Recent development and applications of three-dimensional finite element modeling in bulk forming processes, 40
Conductivity
Heavily drawn Cu–Fe–Ag and Cu–Fe–Cr microcomposites, 610
Contact pressure
FEM simulation of surface smoothing in the ironing process, 705
Continuous casting
Numerical analysis of secondary cooling and bulging in the continuous casting of slabs, 257
Contour accuracy
Prediction of contour accuracy in the end milling of pockets, 399
Controlled rolling
Prediction of the flow stress and grain size of steel during thick-plate rolling, 581
Cooling control
Neural network analysis of experimental data for air/water spray cooling, 439
Cooling rate
The influence of hot forging conditions on the microstructure and mechanical properties of two microalloyed steels, 594
Copper
Finite element analysis of high pressure torsion processing, 617
Creep
Numerical analysis of secondary cooling and bulging in the continuous casting of slabs, 257
Crystal plasticity
Analysis of the milli-forming of single-crystal and poly-crystal bar, 70
Cutting
Development of a practical ultrasonic vibration cutting tool system, 342
Cutting forces
Prediction of contour accuracy in the end milling of pockets, 399
Cutting parameters
Development of an expert system for turning and rotating tool selection in a dynamic environment, 306
Cutting process
Selected examples of cutting process monitoring and diagnostics, 322
Cutting speed
Tool wear monitoring during the turning process, 312
Cutting temperature
Evaluation of the thermal characteristics in high-speed ball-end milling, 406

Damage
Analysis of the milli-forming of single-crystal and poly-crystal bar, 70
Damping capacity
A composite cantilever arm for guiding a moving wire in an electrical discharge wire cutting machine, 172
Deep drawability
Effects of lap sheets on the improvement of the formability of metal foil, 627
Deep drawing
Effects of lap sheets on the improvement of the formability of metal foil, 627
Microdeep drawability of very thin sheet steels, 641
Defects
Intermetallic coatings produced by TIG surface melting, 516
Deformation
Deformation and annealing textures of drawn Al–Mg–Si alloy tubes, 551
Deformation behaviour
Deformation behaviour of aluminium single crystals in ultraprecision diamond turning, 296
Deformation mechanism
3D rigid–plastic FEM numerical simulation on tube spinning, 710
Deformation processing
Heavily drawn Cu–Fe–Ag and Cu–Fe–Cr microcomposites, 610
Degree of cure
Measurement of the degree of cure of glass fiber–epoxy composites using dielectrometry, 209
Depth of hardened zone
Plasma surface hardening of ASSAB 760 steel specimens with Taguchi optimisation of the processing parameters, 521
Design modification
Design modification in a multi-stage rectangular cup drawing process with a large aspect ratio by an elasto-plastic finite element analysis, 766
Design parameters
The forming characteristics of radial–backward extrusion, 141
Diagnostics and monitoring
Selected examples of cutting process monitoring and diagnostics, 322
Dicing saw blade
The application of micro-groove machining for the mold of PDP barrier ribs, 355
Die corner radius
The influence of die geometry on the radial extrusion processes, 109
A study on the improvement of formability for elliptical deep drawing processes, 662
Die design
Process modification of bevel gear forging using three-dimensional finite element analysis, 59
Die geometry
The influence of die geometry on the radial extrusion processes, 109
Die life
Effects of surface treatments and lubricants for warm forging die life, 544
Die pressure
The process sequence design of a power-assisted steering part, 87
Dielectric sensor
Measurement of the degree of cure of glass fiber–epoxy composites using dielectrometry, 209
Dielectrometry
Measurement of the degree of cure of glass fiber–epoxy composites using dielectrometry, 209
Die-span
Plastic bending of adhesive-bonded sheet metals, 743
Differential heating
FEM simulation of the flat-die preform forging of steel shaft–disc type components by thermal differential heating, 52
Diffusion
Effect of the deposition parameters on the properties of the two-layer surface coatings obtained using magnetron sputtering, 493
Dimensional tolerances
A design method for rectangular hollow sections in bending, 699
Dislocation density and microstrain
Deformation behaviour of aluminium single crystals in ultraprecision diamond turning, 296
Doped PZT
Processing of thermally stable doped perovskite PZT ceramics, 450
Drilling burr control chart
Development of a drilling burr control chart for low alloy steel, AISI 4118, 4
DSC
Measurement of the degree of cure of glass fiber–epoxy composites using dielectrometry, 209
Dual-phase steel
Retained austenite in dual-phase silicon steels and its effect on mechanical properties, 587

Ductile
Ductile cutting of tungsten carbide, 348
Ductile fracture criterion
Prediction of the forming limit in hydroforming processes using the finite element method and a ductile fracture criterion, 673
Ductility
Fatigue life of cold-forging dies with various values of hardness, 539
Bundling and drawing processing of Cu–Nb microcomposites with various Nb contents, 604

Elasto-plastic analysis
Influence of the punch profile on the limitation of formability in the hole-flanging process, 720
Elasto-plastic FEM
FEM simulation of surface smoothing in the ironing process, 705
Elasto-plastic finite element analysis
The parametric process design of tension levelling with an elasto-plastic finite element method, 714
Elasto-plastic stress analysis
Plastic bending of adhesive-bonded sheet metals, 743
Electrical discharge machining (EDM) electrodes
Effect of TiC in copper–tungsten electrodes on EDM performance, 563
Electrochemical machining
Electrochemical micro-machining: new possibilities for micro-manufacturing, 301
Electrochemical micro-machining
Electrochemical micro-machining: new possibilities for micro-manufacturing, 301
Empirical formula
A new empirical formula for the calculation of M_S temperatures in pure iron and super-low carbon alloy steels, 556
Encapsulation
A new rapid prototyping system using universal automated fixturing with feature-based CAD/CAM, 285
End milling
Prediction of contour accuracy in the end milling of pockets, 399
Energy
Ductile cutting of tungsten carbide, 348
Energy density
Intermetallic coatings produced by TIG surface melting, 516
Engine valve
Application of nimonic 80A to the hot forging of an exhaust valve head, 148
Environmental assessment
Assessing the environmental impact of materials processing techniques using an analytical hierarchy process method, 424
Environment-friendliness
The utility of radially and ultrasonically vibrated dies in the wire drawing process, 81
Equal channel angular pressing
Plastic deformation analysis of metals during equal channel angular pressing, 622
Equation of Meshing
The finite element analysis on planetary rolling process, 115
Expert system
Development of an expert system for turning and rotating tool selection in a dynamic environment, 306
Extruded length
A UBET analysis of non-axisymmetric forward and backward extrusion, 103
Extrusion
The process sequence design of a power-assisted steering part, 87
3D flow analysis inside shear and streamlined extrusion dies for feeder plate design, 93

Fatigue life
Fatigue life of cold-forging dies with various values of hardness, 539
Feature
A new rapid prototyping system using universal automated fixturing with feature-based CAD/CAM, 285
Feed rate
Tool wear monitoring during the turning process, 312
Feeder plate
3D flow analysis inside shear and streamlined extrusion dies for feeder plate design, 93
FEM
Prediction of the forming limit in hydroforming processes using the finite element method and a ductile fracture criterion, 673
Milli-component forming of rectangular cup drawing, 749
Analysis of the deformation of a perforated sheet under thermal and tension load using finite element method, 761
Ferrite grain size
The influence of hot forging conditions on the microstructure and mechanical properties of two microalloyed steels, 594
Ferrocement bed
Tool wear study in a lathe made of cementitious material, 317
FGM
Processing and characterization of metal–ceramics functionally gradient materials, 446
Fiber
Effect of extrusion compounding on the mechanical properties of rubber-toughened polymers containing short glass fibers, 167
Fibre reinforced thermoplastic matrix composite materials
Applications of fixed and variable frequency microwave (VFM) facilities in polymeric materials processing and joining, 184
Filament
Bundling and drawing processing of Cu–Nb microcomposites with various Nb contents, 604
Heavily drawn Cu–Fe–Ag and Cu–Fe–Cr microcomposites, 610
Finite element analysis
3D flow analysis inside shear and streamlined extrusion dies for feeder plate design, 93
The finite element analysis on planetary rolling process, 115
Finite element analysis of high pressure torsion processing, 617
Plastic deformation analysis of metals during equal channel angular pressing, 622
Design modification in a multi-stage rectangular cup drawing process with a large aspect ratio by an elasto-plastic finite element analysis, 766
Finite element inverse method
Finite element inverse analysis for the design of intermediate dies in multi-stage deep-drawing processes with large aspect ratio, 779
Finite element method
Process modification of bevel gear forging using three-dimensional finite element analysis, 59
Analysis of the milli-forming of single-crystal and poly-crystal bar, 70
Dynamic elastic–plastic analysis of 3D deformation in abrasive waterjet machining, 337
A finite element model for the orthogonal cutting of fiber-reinforced composite materials, 373
A study on the improvement of formability for elliptical deep drawing processes, 662
Recent development and applications of three-dimensional finite element modeling in bulk forming processes, 40
An adaptive three-dimensional finite element algorithm for the orthogonal cutting of composite materials, 368
Fixturing
A new rapid prototyping system using universal automated fixturing with feature-based CAD/CAM, 285

Flat-die preform
FEM simulation of the flat-die preform forging of steel shaft–disc type components by thermal differential heating, 52
Flow forming
A study on the flow forming of cylindrical tubes, 739
Flow rate
Effects of particle shape and size on the homogeneity of dispersed U_3Si particles in high uranium density research reactor fuels, 599
Flow stress
Finite element modeling of the deformation behavior of semi-solid materials, 153
Prediction of the flow stress and grain size of steel during thick-plate rolling, 581
Flowability
The flowability of bentonite bonded green molding sand, 238
Foil
Microdeep drawability of very thin sheet steels, 641
Foil materials
An in-situ incremental microforming system for three-dimensional shell structures of foil materials, 636
Forging
Effect of the surface structure on the resistance to plastic deformation of a hot forging tool, 22
FEM simulation of the flat-die preform forging of steel shaft–disc type components by thermal differential heating, 52
Forging defects
Cost effective implementation of forging simulation, 34
Forging simulation
Cost effective implementation of forging simulation, 34
Forming
Quantitative characterization of the surface topography of cold rolled sheets — new approaches and possibilities, 732
Forming length
A parametric study on forming length in roll forming, 774
Forming limit
The lateral extrusion of copper pipes with a lost core of low temperature melting alloy, 98
Forming limit curve
The formability of aluminum sheet in incremental forming, 654
Forming limit diagram
The effects of temperature and forming speed on the forming limit diagram for type 5083 aluminum–magnesium alloy sheet, 648
Forming load
A UBET analysis of non-axisymmetric forward and backward extrusion, 103
Forming speed
The effects of temperature and forming speed on the forming limit diagram for type 5083 aluminum–magnesium alloy sheet, 648
Forward extrusion
The forming characteristics of radial–forward extrusion, 136
Forward–backward extrusion
A UBET analysis of non-axisymmetric forward and backward extrusion, 103
Fracture
Effect of extrusion compounding on the mechanical properties of rubber-toughened polymers containing short glass fibers, 167
Friction
Quantitative characterization of the surface topography of cold rolled sheets — new approaches and possibilities, 732
Friction effect
Plastic deformation analysis of metals during equal channel angular pressing, 622
Fundamental natural frequency
A composite cantilever arm for guiding a moving wire in an electrical discharge wire cutting machine, 172
Fuzzy retrieval
Initial process-parameters setting of transfer moulding in microchip encapsulation: a case-based reasoning approach, 432

Gap sensor
A monitoring technique using a multi-sensor in high speed machining, 331
Gate system
Experimental investigation of semi-solid casting and die design by thermal fluid-solidification analysis, 251
Glass fiber–epoxy composite
Measurement of the degree of cure of glass fiber–epoxy composites using dielectrometry, 209
Glass forming
Recent development and applications of three-dimensional finite element modeling in bulk forming processes, 40
Glazing
Intermetallic coatings produced by TIG surface melting, 516
Grain area ratio
New development of a grinding wheel with resin cured by ultraviolet light, 385
Grain size
Prediction of the flow stress and grain size of steel during thick-plate rolling, 581
Grain space histogram
New development of a grinding wheel with resin cured by ultraviolet light, 385
Granular material compaction
The flowability of bentonite bonded green molding sand, 238
Graphite
Effects of surface treatments and lubricants for warm forging die life, 544
Green molding sand
The flowability of bentonite bonded green molding sand, 238
Grinding wheel
New development of a grinding wheel with resin cured by ultraviolet light, 385
Gull-wing bend
Plastic bending of adhesive-bonded sheet metals, 743

Hammering
An in-situ incremental microforming system for three-dimensional shell structures of foil materials, 636
Hardened steel
Development of a practical ultrasonic vibration cutting tool system, 342
Hardening effect
Plastic deformation analysis of metals during equal channel angular pressing, 622
Hardness
Application of nimonic 80A to the hot forging of an exhaust valve head, 148
The fabrication process and mechanical properties of SiC_p/Al–Si metal matrix composites for automobile air-conditioner compressor pistons, 202
The flowability of bentonite bonded green molding sand, 238
Intermetallic coatings produced by TIG surface melting, 516
Fatigue life of cold-forging dies with various values of hardness, 539
Heat affected zone
Wide gap brazing of stainless steel to nickel-based superalloy, 215
Plasma surface hardening of ASSAB 760 steel specimens with Taguchi optimisation of the processing parameters, 521
Heat-transfer
Effects of surface treatments and lubricants for warm forging die life, 544

Height ratio
The effect of the drawbead dimensions on the weld-line movements in the deep drawing of tailor-welded blanks, 686
Helical shape product
Manufacture of composite screw rotors for air compressors by RTM process, 196
High hardened material
A monitoring technique using a multi-sensor in high speed machining, 331
High pressure torsion process
Finite element analysis of high pressure torsion processing, 617
High speed machine tools
Damping characteristics of composite hybrid spindle covers for high speed machine tools, 178
High speed machining
A monitoring technique using a multi-sensor in high speed machining, 331
Investigation of chip formation in high speed end milling, 360
High strain rate superplastic Al alloy
Development of high-speed superplastic Al alloy by the MA process using Al foil, 632
High temperature brazing
Wide gap brazing of stainless steel to nickel-based superalloy, 215
High-cycle fatigue
The shot-peening effect on the HCF behavior of high-strength martensitic steels, 502
High-speed end milling
Simulation of surface roughness and profile in high-speed end milling, 410
High-speed machining
Development of a composite suitable for rapid prototype machining, 280
High-strength martensitic steels
The shot-peening effect on the HCF behavior of high-strength martensitic steels, 502
Hole-flanging process
Influence of the punch profile on the limitation of formability in the hole-flanging process, 720
Hollow products
The lateral extrusion of copper pipes with a lost core of low temperature melting alloy, 98
Homogeneity
Effects of particle shape and size on the homogeneity of dispersed U_3Si particles in high uranium density research reactor fuels, 599
Homogenization
Analysis of the deformation of a perforated sheet under thermal and tension load using finite element method, 761
Hot and cold forging
Cost effective implementation of forging simulation, 34
Hot forging
Application of nimonic 80A to the hot forging of an exhaust valve head, 148
The influence of hot forging conditions on the microstructure and mechanical properties of two microalloyed steels, 594
Hot rolling
Prediction of the flow stress and grain size of steel during thick-plate rolling, 581
Hydroforming
Design sensitivity analysis and optimization of the hydroforming process, 666
Prediction of the forming limit in hydroforming processes using the finite element method and a ductile fracture criterion, 673
Hydroxyaptite
RF plasma processing of ultra-fine hydroxyaptite powders, 456
Hypo-eutectic and hyper-eutectic Al–Si materials
Microstructural characteristics and mechanical properties of hypo-eutectic and hyper-eutectic Al–Si alloys in the semi-solid forming process, 568

IF steel
A new technology to improve the $\bar{r}$-value of interstitial-free (IF) steel sheet, 659
Inconel 600
Welding characteristics of the Inconel plate using a pulsed Nd:YAG laser beam, 234
Inconel 690
Welding characteristics of the Inconel plate using a pulsed Nd:YAG laser beam, 234
Incremental forming
An in-situ incremental microforming system for three-dimensional shell structures of foil materials, 636
The formability of aluminum sheet in incremental forming, 654
Indentation
The process sequence design of a power-assisted steering part, 87
Induction brazing
Wide gap brazing of stainless steel to nickel-based superalloy, 215
Industrial forming operations
A design method for rectangular hollow sections in bending, 699
Infrared sensor
Infrared sensing techniques for penetration depth control of the submerged arc welding process, 228
Inhomogeneous deformation
Plastic deformation analysis of metals during equal channel angular pressing, 622
Injection molding
A statistical experimental study of the injection molding of optical lenses, 189
Insert
Development of an expert system for turning and rotating tool selection in a dynamic environment, 306
Intercritical annealing
Retained austenite in dual-phase silicon steels and its effect on mechanical properties, 587
Interdiffusion
Joining of austenitic stainless steel and ferritic stainless steel to sialon, 222
Interface
Joining of austenitic stainless steel and ferritic stainless steel to sialon, 222
Intermediate die design
Finite element inverse analysis for the design of intermediate dies in multi-stage deep-drawing processes with large aspect ratio, 779
Intermesh
The parametric process design of tension levelling with an elasto-plastic finite element method, 714
Intermetallic alloys
Intermetallic coatings produced by TIG surface melting, 516
Intermetallics
Processing of single crystals for high temperature applications, 75
Synthesis of ternary intermetallics by exothermic reaction, 469
Interrupted quenching
Retained austenite in dual-phase silicon steels and its effect on mechanical properties, 587
Ion-nitride
Effects of surface treatments and lubricants for warm forging die life, 544
Ironing
FEM simulation of surface smoothing in the ironing process, 705
Irregular shape rolling
Optimization of the irregular shape rolling process with an artificial neural network, 131

Isothermal degree of cure
Measurement of the degree of cure of glass fiber–epoxy composites using dielectrometry, 209

Joining
Joining of austenitic stainless steel and ferritic stainless steel to sialon, 222

Lap length
Plastic bending of adhesive-bonded sheet metals, 743
Lap sheets
Effects of lap sheets on the improvement of the formability of metal foil, 627
Large aspect ratio
Design modification in a multi-stage rectangular cup drawing process with a large aspect ratio by an elasto-plastic finite element analysis, 766
Laser
Study of the surface layer formed by the laser processing of Ti–6Al–4V alloy in a dilute nitrogen environment, 509
Laser sintering
Direct metal laser sintering for rapid tooling: processing and characterisation of EOS parts, 269
Laser welding
Welding characteristics of the Inconel plate using a pulsed Nd:YAG laser beam, 234
Development of a direct metal freeform fabrication technique using CO_2 laser welding and milling technology, 273
Laser-welded and un-welded sheet metals
Evaluation of the mechanical properties of welded metal in tailored steel sheet welded by CO_2 laser, 692
Lath martensite
Plasma surface hardening of ASSAB 760 steel specimens with Taguchi optimisation of the processing parameters, 521
Lathe
Tool wear study in a lathe made of cementitious material, 317
Leaching
The influence of PMMA content on the properties of 316L stainless steel MIM compact, 477
Lead zirconate titanate
Processing of thermally stable doped perovskite PZT ceramics, 450
Life cycle assessment
Assessing the environmental impact of materials processing techniques using an analytical hierarchy process method, 424
Limiting forming ratio
Influence of the punch profile on the limitation of formability in the hole-flanging process, 720
Liquid phase sintering
Effect of TiC in copper–tungsten electrodes on EDM performance, 563
Liquid segregation
Experimental investigation of semi-solid casting and die design by thermal fluid-solidification analysis, 251
Local deformations
A design method for rectangular hollow sections in bending, 699
Longitudinal strain
A parametric study on forming length in roll forming, 774
Low alloy steel
Development of a drilling burr control chart for low alloy steel, AISI 4118, 4
Low temperature melting alloy
The lateral extrusion of copper pipes with a lost core of low temperature melting alloy, 98
Lubricant
Effects of surface treatments and lubricants for warm forging die life, 544
Lubrication
Tool lubricating systems in warm forging, 16

Machinability
A monitoring technique using a multi-sensor in high speed machining, 331
Machine tools
Selected examples of cutting process monitoring and diagnostics, 322
Mandrel
A study on the flow forming of cylindrical tubes, 739
Materials processing
Applications of virtual manufacturing in materials processing, 416
Mechanical alloying
Development of high-speed superplastic Al alloy by the MA process using Al foil, 632
Mechanical properties
Comparison of the thermal fatigue resistance and structure of the 47CrMoWVTiCeZr16-26-8 hot-work tool steel with X40CrMoV5-1 type one, 527
Microstructural characteristics and mechanical properties of hypo-eutectic and hyper-eutectic Al–Si alloys in the semi-solid forming process, 568
A unified test for evaluating material parameters for use in the modelling of sheet metal forming, 725
Mechanical property
Evaluation of the mechanical properties of welded metal in tailored steel sheet welded by CO_2 laser, 692
Melt drag twin roll caster
A high speed twin roll caster for aluminum alloy strip, 291
Metal deposition
Development of a direct metal freeform fabrication technique using CO_2 laser welding and milling technology, 273
Metal fabrication
Development of a direct metal freeform fabrication technique using CO_2 laser welding and milling technology, 273
Metal flow
The forming characteristics of radial–backward extrusion, 141
Metal forming
A flexible shear spinning of truncated conical shells with a general-purpose mandrel, 28
Analyses of plane-strain upsetting by the rigid–plastic domain-boundary element method, 46
3D flow analysis inside shear and streamlined extrusion dies for feeder plate design, 93
A unified test for evaluating material parameters for use in the modelling of sheet metal forming, 725
Metal sheet
Quantitative characterization of the surface topography of cold rolled sheets — new approaches and possibilities, 732
Microalloyed steels
The influence of hot forging conditions on the microstructure and mechanical properties of two microalloyed steels, 594
Microchip encapsulation
Initial process-parameters setting of transfer moulding in microchip encapsulation: a case-based reasoning approach, 432
Microcomposite
Bundling and drawing processing of Cu–Nb microcomposites with various Nb contents, 604
Heavily drawn Cu–Fe–Ag and Cu–Fe–Cr microcomposites, 610
Micro-die
The micro-formability of Zr-based amorphous alloys in the super-cooled liquid state and their application to micro-dies, 64
Micro-formability
The micro-formability of Zr-based amorphous alloys in the super-cooled liquid state and their application to micro-dies, 64

Micro-forming
An in-situ incremental microforming system for three-dimensional shell structures of foil materials, 636
Microdeep drawability of very thin sheet steels, 641
Micro-groove
The application of micro-groove machining for the mold of PDP barrier ribs, 355
Micro-machine
The micro-formability of Zr-based amorphous alloys in the super-cooled liquid state and their application to micro-dies, 64
Microstructure
Sintering technology research of Fe_3Al/Al_2O_3 ceramic composites, 482
Microstructure evaluation
Microstructural characteristics and mechanical properties of hypo-eutectic and hyper-eutectic Al–Si alloys in the semi-solid forming process, 568
Mild steel
Development of a direct metal freeform fabrication technique using CO_2 laser welding and milling technology, 273
Milli-bar
Analysis of the milli-forming of single-crystal and poly-crystal bar, 70
Milli-forming
Analysis of the milli-forming of single-crystal and poly-crystal bar, 70
Milling
Development of an expert system for turning and rotating tool selection in a dynamic environment, 306
A new method for determining the undeformed chip thickness in milling, 378
Milli-structure
Milli-component forming of rectangular cup drawing, 749
Mixture
Effects of particle shape and size on the homogeneity of dispersed U_3Si particles in high uranium density research reactor fuels, 599
M–K analysis
The effects of temperature and forming speed on the forming limit diagram for type 5083 aluminum–magnesium alloy sheet, 648
Model
Ductile cutting of tungsten carbide, 348
Modeling
Modeling of the thermal history of the sand casting process, 245
A new method for determining the undeformed chip thickness in milling, 378
Molded
A statistical experimental study of the injection molding of optical lenses, 189
Molybdenum alloys
Processing of single crystals for high temperature applications, 75
Monitoring
A monitoring technique using a multi-sensor in high speed machining, 331
Moving die
Numerical simulation of the superplastic moving die forming process with a modified membrane finite element method, 754
M_S temperature
A new empirical formula for the calculation of M_S temperatures in pure iron and super-low carbon alloy steels, 556
Multi-pass wire drawing
The application of AI techniques in the optimal design of multi-pass cold drawing processes, 680
Multi-stage rectangular cup drawing process
Design modification in a multi-stage rectangular cup drawing process with a large aspect ratio by an elasto-plastic finite element analysis, 766
Net shape forming
Problems of accuracy control in cold forming, 10
Net-shape forging
Cost effective implementation of forging simulation, 34
Neural network methodology
Neural network analysis of experimental data for air/water spray cooling, 439
New-concept drill
Analysis of burr formation in drilling with a new-concept drill, 392
Newtonian viscous flow
The micro-formability of Zr-based amorphous alloys in the super-cooled liquid state and their application to micro-dies, 64
Nickel foil
Effects of lap sheets on the improvement of the formability of metal foil, 627
Nickel-based filler metal
Wide gap brazing of stainless steel to nickel-based superalloy, 215
Nimonic 80A
Application of nimonic 80A to the hot forging of an exhaust valve head, 148
Nitride
Study of the surface layer formed by the laser processing of Ti–6Al–4V alloy in a dilute nitrogen environment, 509
Noise
Tool wear monitoring during the turning process, 312
Non-axisymmetric deep drawing
A study on the improvement of formability for elliptical deep drawing processes, 662
Nylon 6,6
Effect of extrusion compounding on the mechanical properties of rubber-toughened polymers containing short glass fibers, 167

Onset of buckling
A design method for rectangular hollow sections in bending, 699
Optical lenses
A statistical experimental study of the injection molding of optical lenses, 189
Optimization
Optimization of the irregular shape rolling process with an artificial neural network, 131
Design sensitivity analysis and optimization of the hydroforming process, 666
The application of AI techniques in the optimal design of multi-pass cold drawing processes, 680
Optimum pressure control
Numerical simulation of the superplastic moving die forming process with a modified membrane finite element method, 754
Orthogonal cutting
An adaptive three-dimensional finite element algorithm for the orthogonal cutting of composite materials, 368
A finite element model for the orthogonal cutting of fiber-reinforced composite materials, 373

Particle shape
Effects of particle shape and size on the homogeneity of dispersed U_3Si particles in high uranium density research reactor fuels, 599
Particle size
Processing and characterization of metal–ceramics functionally gradient materials, 446
Effects of particle shape and size on the homogeneity of dispersed U_3Si particles in high uranium density research reactor fuels, 599
Particulate-reinforced composites
Development of a composite suitable for rapid prototype machining, 280

PEG
The influence of PMMA content on the properties of 316L stainless steel MIM compact, 477
Penetration control
Infrared sensing techniques for penetration depth control of the submerged arc welding process, 228
Perforated sheet
Analysis of the deformation of a perforated sheet under thermal and tension load using finite element method, 761
Piezo-actuator
An in-situ incremental microforming system for three-dimensional shell structures of foil materials, 636
Planetary rolling process
The finite element analysis on planetary rolling process, 115
Plasma display panel
The application of micro-groove machining for the mold of PDP barrier ribs, 355
Plasma surface hardening
Plasma surface hardening of ASSAB 760 steel specimens with Taguchi optimisation of the processing parameters, 521
Plastic deformation
Dynamic elastic–plastic analysis of 3D deformation in abrasive waterjet machining, 337
Plastic deformation resistance
Effect of the surface structure on the resistance to plastic deformation of a hot forging tool, 22
Plastic strain-rate
FEM simulation of surface smoothing in the ironing process, 705
PMMA
The influence of PMMA content on the properties of 316L stainless steel MIM compact, 477
Porous metals
Viscoplastic behaviour of porous bronzes and irons, 574
Post-buckling deformations
A design method for rectangular hollow sections in bending, 699
Powder forging
An experimental study on the optimization of powder forging process parameters for an aluminum-alloy piston, 486
Power-steering worm blank
The process sequence design of a power-assisted steering part, 87
Precipitation
Deformation and annealing textures of drawn Al–Mg–Si alloy tubes, 551
Prediction
Ductile cutting of tungsten carbide, 348
Preform design
An experimental study on the optimization of powder forging process parameters for an aluminum-alloy piston, 486
Process and accuracy improvement
On the improvement of the stereolithography (SL) process, 262
Process optimisation
Neural network analysis of experimental data for air/water spray cooling, 439
Process stability
Problems of accuracy control in cold forming, 10
Process variables
Numerical analysis of secondary cooling and bulging in the continuous casting of slabs, 257
Process-parameters setting
Initial process-parameters setting of transfer moulding in microchip encapsulation: a case-based reasoning approach, 432
Prototypic molds
Development of a composite suitable for rapid prototype machining, 280
Punch corner radius
A study on the improvement of formability for elliptical deep drawing processes, 662
Pure iron
A new empirical formula for the calculation of M_S temperatures in pure iron and super-low carbon alloy steels, 556
PVD coatings
Effect of the deposition parameters on the properties of the two-layer surface coatings obtained using magnetron sputtering, 493

Radial extrusion
The influence of die geometry on the radial extrusion processes, 109
The forming characteristics of radial–forward extrusion, 136
The forming characteristics of radial–backward extrusion, 141
Rapid prototyping
On the improvement of the stereolithography (SL) process, 262
Direct metal laser sintering for rapid tooling: processing and characterisation of EOS parts, 269
A new rapid prototyping system using universal automated fixturing with feature-based CAD/CAM, 285
Rapid prototyping and tooling
Development of a direct metal freeform fabrication technique using CO_2 laser welding and milling technology, 273
Rapid tooling
Direct metal laser sintering for rapid tooling: processing and characterisation of EOS parts, 269
Reaction layer
Joining of austenitic stainless steel and ferritic stainless steel to sialon, 222
Recrystallization
Deformation and annealing textures of drawn Al–Mg–Si alloy tubes, 551
Prediction of the flow stress and grain size of steel during thick-plate rolling, 581
Rectangular cup drawing
Milli-component forming of rectangular cup drawing, 749
Finite element inverse analysis for the design of intermediate dies in multi-stage deep-drawing processes with large aspect ratio, 779
Refractory metals
Processing of single crystals for high temperature applications, 75
Relative gap height
The influence of die geometry on the radial extrusion processes, 109
Remeshing
Recent development and applications of three-dimensional finite element modeling in bulk forming processes, 40
Remeshing algorithm
An adaptive three-dimensional finite element algorithm for the orthogonal cutting of composite materials, 368
Repose angle
Effects of particle shape and size on the homogeneity of dispersed U_3Si particles in high uranium density research reactor fuels, 599
Resin bond
New development of a grinding wheel with resin cured by ultraviolet light, 385
Resin-pilling
New development of a grinding wheel with resin cured by ultraviolet light, 385
Retained austenite
Retained austenite in dual-phase silicon steels and its effect on mechanical properties, 587
RF plasma processing
RF plasma processing of ultra-fine hydroxyaptite powders, 456
Rigid–plastic domain-BEM
Analyses of plane-strain upsetting by the rigid–plastic domain-boundary element method, 46
Rigid–plastic FEM
Analyses of plane-strain upsetting by the rigid–plastic domain-boundary element method, 46
The influence of die geometry on the radial extrusion processes, 109

The forming characteristics of radial–forward extrusion, 136
3D rigid–plastic FEM numerical simulation on tube spinning, 710
Rigid–plastic finite element method
A parametric study on forming length in roll forming, 774
Rod rolling
Approximate analysis of roll force in a round–oval–round pass rolling sequence, 124
Roll arrangement
The parametric process design of tension levelling with an elasto-plastic finite element method, 714
Roll casting
A high speed twin roll caster for aluminum alloy strip, 291
Roll force
Approximate analysis of roll force in a round–oval–round pass rolling sequence, 124
Roll forming
A parametric study on forming length in roll forming, 774
Roller path
The bending of an aluminum structural frame with a rubber pad, 786
Rolling mechanism
A study on the flow forming of cylindrical tubes, 739
Roof-rail
The bending of an aluminum structural frame with a rubber pad, 786
Rotary forming
A flexible shear spinning of truncated conical shells with a general-purpose mandrel, 28
Rotating–bending
The shot-peening effect on the HCF behavior of high-strength martensitic steels, 502
Roughness
Quantitative characterization of the surface topography of cold rolled sheets — new approaches and possibilities, 732
RTM
Manufacture of composite screw rotors for air compressors by RTM process, 196
Rubber
Effect of extrusion compounding on the mechanical properties of rubber-toughened polymers containing short glass fibers, 167
Rubber pad bending
The bending of an aluminum structural frame with a rubber pad, 786
$\bar{r}$-Value
A new technology to improve the $\bar{r}$-value of interstitial-free (IF) steel sheet, 659

Sand
Modeling of the thermal history of the sand casting process, 245
Scanning electron microscope
An in-situ incremental microforming system for three-dimensional shell structures of foil materials, 636
Screw rotor
Manufacture of composite screw rotors for air compressors by RTM process, 196
Secondary cooling
Numerical analysis of secondary cooling and bulging in the continuous casting of slabs, 257
Semi-analytical method
Approximate analysis of roll force in a round–oval–round pass rolling sequence, 124
Semi-solid casting
Experimental investigation of semi-solid casting and die design by thermal fluid-solidification analysis, 251
Semi-solid forming technology
Microstructural characteristics and mechanical properties of hypo-eutectic and hyper-eutectic Al–Si alloys in the semi-solid forming process, 568
Semi-solid materials
Finite element modeling of the deformation behavior of semi-solid materials, 153
Experimental investigation of semi-solid casting and die design by thermal fluid-solidification analysis, 251
Sensitivity analysis
Design sensitivity analysis and optimization of the hydroforming process, 666
Separate molds
Manufacture of composite screw rotors for air compressors by RTM process, 196
Set-up
A new rapid prototyping system using universal automated fixturing with feature-based CAD/CAM, 285
Shadow mask
Analysis of the deformation of a perforated sheet under thermal and tension load using finite element method, 761
Shaft–disc type components
FEM simulation of the flat-die preform forging of steel shaft–disc type components by thermal differential heating, 52
Shear dies
3D flow analysis inside shear and streamlined extrusion dies for feeder plate design, 93
Sheet metal
A unified test for evaluating material parameters for use in the modelling of sheet metal forming, 725
Short fatigue-crack behavior
The shot-peening effect on the HCF behavior of high-strength martensitic steels, 502
Shot peening
The shot-peening effect on the HCF behavior of high-strength martensitic steels, 502
SiC additive
Processing and characterization of metal–ceramics functionally gradient materials, 446
SiC_p/Al metal matrix composite
The fabrication process and mechanical properties of SiC_p/Al–Si metal matrix composites for automobile air-conditioner compressor pistons, 202
Simulated annealing
The application of AI techniques in the optimal design of multi-pass cold drawing processes, 680
Simulation
Simulation of surface roughness and profile in high-speed end milling, 410
Simulation-based process design
The parametric process design of tension levelling with an elasto-plastic finite element method, 714
Single crystal
Processing of single crystals for high temperature applications, 75
Deformation behaviour of aluminium single crystals in ultraprecision diamond turning, 296
Sintering
The effect of Fe doping on the sintering behavior of commercial CeO_2 powder, 463
The influence of PMMA content on the properties of 316L stainless steel MIM compact, 477
An experimental study on the optimization of powder forging process parameters for an aluminum-alloy piston, 486
Sintering technology
Sintering technology research of Fe_3Al/Al_2O_3 ceramic composites, 482

Sleeve
Welding characteristics of the Inconel plate using a pulsed Nd:YAG laser beam, 234
Sliding constraint surface
Finite element inverse analysis for the design of intermediate dies in multi-stage deep-drawing processes with large aspect ratio, 779
Slope of strength coefficient
Evaluation of the mechanical properties of welded metal in tailored steel sheet welded by CO_2 laser, 692
Smooth and notched specimens
The shot-peening effect on the HCF behavior of high-strength martensitic steels, 502
Solar beam
An investigation into the performance of solar cured adhesive bonded joints, 160
Solar energy concentration
An investigation into the performance of solar cured adhesive bonded joints, 160
Solid fraction updating algorithm
Finite element modeling of the deformation behavior of semi-solid materials, 153
Solidification
Finite element modeling of the deformation behavior of semi-solid materials, 153
Spinning
A flexible shear spinning of truncated conical shells with a general-purpose mandrel, 28
Spring-back
Influence of the punch profile on the limitation of formability in the hole-flanging process, 720
Spring-forward
Influence of the punch profile on the limitation of formability in the hole-flanging process, 720
Stainless steel
Wide gap brazing of stainless steel to nickel-based superalloy, 215
The influence of PMMA content on the properties of 316L stainless steel MIM compact, 477
Steam generator
Welding characteristics of the Inconel plate using a pulsed Nd:YAG laser beam, 234
Steel
Tool lubricating systems in warm forging, 16
Stereolithography
On the improvement of the stereolithography (SL) process, 262
Strain rate
Viscoplastic behaviour of porous bronzes and irons, 574
Strain-path dependence
The formability of aluminum sheet in incremental forming, 654
Strength
Bundling and drawing processing of Cu–Nb microcomposites with various Nb contents, 604
Strengthening
Heavily drawn Cu–Fe–Ag and Cu–Fe–Cr microcomposites, 610
Strengthening effect
The shot-peening effect on the HCF behavior of high-strength martensitic steels, 502
Stress distribution
Finite element analysis of high pressure torsion processing, 617
Stress relief
The shot-peening effect on the HCF behavior of high-strength martensitic steels, 502
Strip casting
A high speed twin roll caster for aluminum alloy strip, 291
Structure
Comparison of the thermal fatigue resistance and structure of the 47CrMoWVTiCeZr16-26-8 hot-work tool steel with X40CrMoV5-1 type one, 527
Subframe
Prediction of the forming limit in hydroforming processes using the finite element method and a ductile fracture criterion, 673
Submerged arc
Infrared sensing techniques for penetration depth control of the submerged arc welding process, 228
Suck-in
A design method for rectangular hollow sections in bending, 699
Superalloys
Wide gap brazing of stainless steel to nickel-based superalloy, 215
Supercooled liquid
The micro-formability of Zr-based amorphous alloys in the super-cooled liquid state and their application to micro-dies, 64
SuperForge
3D flow analysis inside shear and streamlined extrusion dies for feeder plate design, 93
Super-low carbon alloy steels
A new empirical formula for the calculation of M_S temperatures in pure iron and super-low carbon alloy steels, 556
Superplasticity
Numerical simulation of the superplastic moving die forming process with a modified membrane finite element method, 754
Surface layer
Deformation behaviour of aluminium single crystals in ultraprecision diamond turning, 296
Surface melting
Intermetallic coatings produced by TIG surface melting, 516
Surface profile
Simulation of surface roughness and profile in high-speed end milling, 410
Surface roughness
Deformation behaviour of aluminium single crystals in ultraprecision diamond turning, 296
Simulation of surface roughness and profile in high-speed end milling, 410
Sustainability
An investigation into the performance of solar cured adhesive bonded joints, 160

Taguchi method
Plasma surface hardening of ASSAB 760 steel specimens with Taguchi optimisation of the processing parameters, 521
Tailored and base sheet metals
Evaluation of the mechanical properties of welded metal in tailored steel sheet welded by CO_2 laser, 692
Tailor-welded blank
The effect of the drawbead dimensions on the weld-line movements in the deep drawing of tailor-welded blanks, 686
Target profile
The bending of an aluminum structural frame with a rubber pad, 786
Tee
Prediction of the forming limit in hydroforming processes using the finite element method and a ductile fracture criterion, 673
Temperature
The effects of temperature and forming speed on the forming limit diagram for type 5083 aluminum–magnesium alloy sheet, 648
Tensile strength
The fabrication process and mechanical properties of SiC_p/Al–Si metal matrix composites for automobile air-conditioner compressor pistons, 202
Tensile test
A unified test for evaluating material parameters for use in the modelling of sheet metal forming, 725
Tension levelling
The parametric process design of tension levelling with an elasto-plastic finite element method, 714

Texture
Deformation and annealing textures of drawn Al–Mg–Si alloy tubes, 551
A new technology to improve the $\bar{r}$-value of interstitial-free (IF) steel sheet, 659
Texture coefficient
Effect of the deposition parameters on the properties of the two-layer surface coatings obtained using magnetron sputtering, 493
Theoretical model
Fatigue life of cold-forging dies with various values of hardness, 539
Thermal
Modeling of the thermal history of the sand casting process, 245
Thermal analysis
Synthesis of ternary intermetallics by exothermic reaction, 469
Thermal diffusivity
Thermal diffusivity of pure and impurity-doped titanium dioxides ceramics, 474
Thermal fatigue
Comparison of the thermal fatigue resistance and structure of the 47CrMoWVTiCeZr16-26-8 hot-work tool steel with X40CrMoV5-1 type one, 527
Thermal shock fatigue
Processing of thermally stable doped perovskite PZT ceramics, 450
Thermal softening
Effect of the surface structure on the resistance to plastic deformation of a hot forging tool, 22
Effects of surface treatments and lubricants for warm forging die life, 544
Thermocouple
Evaluation of the thermal characteristics in high-speed ball-end milling, 406
Thermomechanical processing
The influence of hot forging conditions on the microstructure and mechanical properties of two microalloyed steels, 594
Thermosetting resin
Measurement of the degree of cure of glass fiber–epoxy composites using dielectrometry, 209
Thin sheet steels
Microdeep drawability of very thin sheet steels, 641
Thin strip
A high speed twin roll caster for aluminum alloy strip, 291
Three-dimensional finite element simulation
Optimization of the irregular shape rolling process with an artificial neural network, 131
TIG torch
Intermetallic coatings produced by TIG surface melting, 516
Titanium alloy
Study of the surface layer formed by the laser processing of Ti–6Al–4V alloy in a dilute nitrogen environment, 509
Titanium aluminide
Intermetallic coatings produced by TIG surface melting, 516
Titanium dioxides
Thermal diffusivity of pure and impurity-doped titanium dioxides ceramics, 474
Ti–TiB_2
Processing and characterization of metal–ceramics functionally gradient materials, 446
Tool
Development of an expert system for turning and rotating tool selection in a dynamic environment, 306
Tool deflection errors
Prediction of contour accuracy in the end milling of pockets, 399
Tool dynamometer
A monitoring technique using a multi-sensor in high speed machining, 331
Tool life
Development of a practical ultrasonic vibration cutting tool system, 342
Evaluation of the thermal characteristics in high-speed ball-end milling, 406
Tool steels
Comparison of the thermal fatigue resistance and structure of the 47CrMoWVTiCeZr16-26-8 hot-work tool steel with X40CrMoV5-1 type one, 527
Tool wear
Tool wear monitoring during the turning process, 312
Evaluation of the thermal characteristics in high-speed ball-end milling, 406
Toughening
Effect of extrusion compounding on the mechanical properties of rubber-toughened polymers containing short glass fibers, 167
Tract
Intermetallic coatings produced by TIG surface melting, 516
Transfer moulding
Initial process-parameters setting of transfer moulding in microchip encapsulation: a case-based reasoning approach, 432
Tricalcium phosphate
RF plasma processing of ultra-fine hydroxyaptite powders, 456
True tooth trajectories
A new method for determining the undeformed chip thickness in milling, 378
Tube
Welding characteristics of the Inconel plate using a pulsed Nd:YAG laser beam, 234
Tube forming
The lateral extrusion of copper pipes with a lost core of low temperature melting alloy, 98
Tube spinning
3D rigid–plastic FEM numerical simulation on tube spinning, 710
Tungsten carbide
Ductile cutting of tungsten carbide, 348
The application of micro-groove machining for the mold of PDP barrier ribs, 355
Turning
Development of an expert system for turning and rotating tool selection in a dynamic environment, 306
Tool wear monitoring during the turning process, 312
Ductile cutting of tungsten carbide, 348
Twin roll caster
A high speed twin roll caster for aluminum alloy strip, 291

UBET
A UBET analysis of non-axisymmetric forward and backward extrusion, 103
Ultrafine-grained materials
Plastic deformation analysis of metals during equal channel angular pressing, 622
Ultraprecision diamond turning
Deformation behaviour of aluminium single crystals in ultraprecision diamond turning, 296
Ultrasonic vibration
The utility of radially and ultrasonically vibrated dies in the wire drawing process, 81
Development of a practical ultrasonic vibration cutting tool system, 342
Ultraviolet light
New development of a grinding wheel with resin cured by ultraviolet light, 385
Undeformed chip thickness
A new method for determining the undeformed chip thickness in milling, 378

Upsetting
Analyses of plane-strain upsetting by the rigid–plastic domain-boundary element method, 46
The process sequence design of a power-assisted steering part, 87
U_3Si/Al reactor fuel
Effects of particle shape and size on the homogeneity of dispersed U_3Si particles in high uranium density research reactor fuels, 599

Variable frequency microwave (VFM) facilities
Applications of fixed and variable frequency microwave (VFM) facilities in polymeric materials processing and joining, 184
V-bending
Plastic bending of adhesive-bonded sheet metals, 743
Vibration
Simulation of surface roughness and profile in high-speed end milling, 410
Virtual manufacturing
Applications of virtual manufacturing in materials processing, 416
Virtual reality
Applications of virtual manufacturing in materials processing, 416
Viscoplasticity
Viscoplastic behaviour of porous bronzes and irons, 574
Viscosity
Measurement of the degree of cure of glass fiber–epoxy composites using dielectrometry, 209

Warm forging
Tool lubricating systems in warm forging, 16
Effects of surface treatments and lubricants for warm forging die life, 544
Warm press-forming
The effects of temperature and forming speed on the forming limit diagram for type 5083 aluminum–magnesium alloy sheet, 648
Weak plane-strain condition
Approximate analysis of roll force in a round–oval–round pass rolling sequence, 124
Wear resistance
The fabrication process and mechanical properties of SiC_p/Al–Si metal matrix composites for automobile air-conditioner compressor pistons, 202
Welded metal
Evaluation of the mechanical properties of welded metal in tailored steel sheet welded by CO_2 laser, 692
Welding
Infrared sensing techniques for penetration depth control of the submerged arc welding process, 228
Weld-line movements
The effect of the drawbead dimensions on the weld-line movements in the deep drawing of tailor-welded blanks, 686
Wheatstone bridge circuit
Measurement of the degree of cure of glass fiber–epoxy composites using dielectrometry, 209
Wide clearance brazing
Wide gap brazing of stainless steel to nickel-based superalloy, 215
Wire cutting
A composite cantilever arm for guiding a moving wire in an electrical discharge wire cutting machine, 172
Wire drawing
The utility of radially and ultrasonically vibrated dies in the wire drawing process, 81
Work-hardening exponent
A parametric study on forming length in roll forming, 774
Wrench bolt
A UBET analysis of non-axisymmetric forward and backward extrusion, 103
Wrinkles
Effects of lap sheets on the improvement of the formability of metal foil, 627
W–W method
A new technology to improve the $\bar{r}$-value of interstitial-free (IF) steel sheet, 659